U.S. Department of Commerce Patent and Trademark Office

Atty. Docket: 2002834-0046 In re Application No.: 09/494,096

Applicants: Bannon, et al.

Filing Date: January 28, 2000 Group: 1644 RECEIVED

SEP 1 3 2002

(Use several sheets if necessary)

INFORMATION DISCLOSURE STATEMENT

TECH CENTER 1600/2900

	_	ISSUED U. S	S. PATENTS		CENTER 1000/2
Examiners Initials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
PNH	*3,645,852	Axen, et al.	February 29, 1972	195	- 68
11	*3,720,760	Bennich et al.	February 7, 1984	436	51.3
	*4,171,299	Hamburger	October 16, 1979	260	112.5
-	*4,338,297	Michael et al.	July 6, 1982	424	91
	*4,469,677	Michael et al.	September 4, 1984	424	91
	*4,535,010	Axen et al.	August 13, 1985	427	246
	*4,579,840	Hahn et al.	April 1, 1986	514	14
	*4,659,678	Forrest et al.	April 21, 1987	436	512
	*4,696,915	Horecker	September 29, 1987		
	*4,816,449	Hahn et al.	March 28, 1989	514	17
	*4,849,337	Calenoff et al.	July 18, 1989	435	7
	*4,900,556	Wheatley, et al.	February 13, 1990	424	450-
	*5,026,545	Saint-Remy et al.	June 25, 1991		
	*5,049,390	Wojdani	September 17, 1991	424	450
	*5,091,318	Anawis et al.	February 25, 1992	436	- 513
	*5,169,933	Anderson et al.	December 8, 1992	531	391.3
	*5,314,991	Oka et al.	May 24, 1994	530	350
	*5,449,669	Metcalfe et al.	September 12, 1995	514	13
	*5,480,972	Avjioglu et al.	January 2, 1996	-530	379
	*5,486,452	Gordon et al.	January 23, 1996	435	5
	*5,496,554	Oka et al.	March 5, 1996	424	276.1
	*5,543,144	Chang	August 6, 1996	424	133.1
	*5,547,669	Rogers et al.	August 20, 1996	424	185.1
	*5,558,869	Burks, Jr. et al.	September 24, 1996	424	276.1
	*5,583,046	Valenta et al.	December 10, 1996	_435	320.1
	*5,591,433	Michael et al.	January 7, 1997	424	184.1
	*5,597,895	Gaynor et al.	January 28, 1997	530	324
	*5,616,559	Androphy et al.	April 1, 1997	514	12
	*5,625,039	Washida et al.	April 29, 1997	530	388.25
	*5,637,454	Harley	June 10, 1997	435	5
	*5,648,242	Valenta et al.	July 15, 1997	435	69.3
	*5,652,122	Frankel et al.	July 29, 1997	435	69.7
	*5,667,965	Androphy et al.	September 16, 1997	435	5
1/	*5,670,617	Frankel et al.	September 23, 1997	530	300

py n. yr

(0)	SEP 10 MORE SE			TECH CE	NTER 1600/29
	ATENT B AND	ISSUED U. S. PAT	ENTS (CONT.)		
Examiners nitials	U.S. Patent No.	Applicant	Issue Date	Class	Subclass
	*5,674,980	Frankel et al.	October 7, 1997	530	350
7NH	*5,693,495	Breiteneder et al.	December 2, 1997	435	69.3
	*5,710,126	Griffith et al.	January 20, 1998	514	12
	*5,731,157	Miller et al.	March 24, 1998	435	7.4
	*5,736,149	Avjioglu et al.	April 7, 1998	424	275.1
	*5,747,641	Frankel et al.	May 5, 1998	530	300
	*5,773,003	Swain et al.	June 30, 1998	424	193.1
	*5,786,466	Breiteneder et al.	July 28, 1998	536	23.6
	*5,804,604	Frankel et al.	September 8, 1998	530	324
	*5,807,746	Lin et al.	September 15, 1998	435	375
	*5,820,862	Garman et al.	October 13, 1998	424	184.1
	*5,837,550	Breitenbach et al.	November 17, 1998	436	513-
	*5,843,672	Morgenstern et al.,	December 1, 1998	435	7.1
	*5,843,710	Cobon et al.	December 1, 1998	435	69.1
	*5,869,040	Oin	February 9, 1999	424	93.21
	*5,888,762	Joliot et al.	March 30, 1999	435	69.1
	*5,891,716	Morgenstern et al.,	April 6, 1999	435	325
	*5,891,710 *5,891,432	Hoo	April 6, 1999	424	93.21
	*5,939,283	Morgensterm et al.,	August 17, 1999	435	69.1
		Burks, Jr., et al.	October 26, 1999	530	370
	*5,973,121	Frankel et al.	November 23, 1999	435	6 —
	*5,989,814	Korsmeyer	December 7, 1999	530	350
	*5,998,583	Ball et al.	December 28, 1999	536	23.6
$- \downarrow$	*6,008,340	Chen et al.	May 9, 2000	424	450
	*6,060,082	U.S. PATENT AI			
		U.S. PATENT AT	FLICATIONS		
Examiner's Initials	Serial Number	Filing Date			
PNH	*07/998,377	December 30, 1992			
- [^]	*08/158,704	November 29, 1993			
	*08/610,424	March 4, 1996			
	*09/015,657	January 28, 1999			
	*09/336,463	June 18, 1999			
	*60/009,455	December 29, 1995			
	*08/610,424	March 4, 1996			
	*08/717,933	September 23, 1996			
	*09/106,872	June 29, 1998			
	*60/077,763	March 13, 1998			
	*09/267,719	March 11, 1999			

Phy N. Hys

7/20/07

SEP 1 3 2002

\$EP '	3			TECHIC	NTER 1600/29
SEP V	U.	S. PATENT APPLI	CATIONS (CONT.)	TEUTION	
		Eur D			
Examiner's	Serial Number	Filing Date			
Initials	+60/073 203	T 21 1009			
TOUTH of	*60/073,283	January 31, 1998			
-	*60/074,690	February 13, 1998			
	*60/074,624	February 13, 1998			
\longrightarrow	*60/074,633	February 13, 1998			
	*09/241,101	January 29, 1999			
	*09/248,673	February 11, 1999			
	*09/248,674	February 11, 1999			
	*60/073,171	January 30, 1998			
	*09/238,448	January 28, 1999			
	*09/090,375	June 4, 1998			
	*09/141,220	August 27, 1998			
	*09/478,668	January 6, 2000			
	*09/240,557	January 29, 1999			
	*60/122,450	March 2, 1999			
	*60/112,452	March 2, 1999			
	*60/122,560	March 2, 1999			
	*60/122,565	March 2, 1999			
	*60/122,566	March 2, 1999			
	*09/494,096	January 28, 2000			
	*60/090,390	June 23, 1998			
	*09/339,068	June 23, 1999			
	*09/216,117	December 18, 1998			
	*09/247,406	February 10, 1999			
	*09/218,345	December 22, 1998			
	*09/470,293	December 22, 1999			
	*60/124,595	March 16, 1999			
	*60/125,071	March 17, 1999			
	*60/169,330	December 6, 1999			
	*09/455,294	December 6, 1999	\leftarrow		
V	*60/105,806	October 27, 1999	\searrow		
<u> </u>	*60/122,960	March 3, 1999	1		
		FOREIGN PATEN			
examiner's	Document No.	Country	Date	Translatio	
nitials				Yes	No
Polt	*JP 072 85875	Japan	19 April 1994		
1	*WO 90/04025	International	19 April 1990		
	*WO 91/06571	International	16 May 1991		
	*WO 91/11718		8 August 1991		<u> </u>
V	*WO 92/02621	International	20 February 1992		

ply N. Har

7/22/03

(SEP 10 30	ž FOI	REIGN PATENT I	OOCUMENTS (CONT.)	TECH CENTER 1600/2	
Examiner's.	Socument No.	Country	Date	Translation	
initials ATEM	1		j		
FUH	*WO 92/03551	International	5 March 1992		
"	*WO 92/11859	International	23 July 1992		
	*WO 93/21223	International	28 October 1993		
	*WO 94/23035	International	13 October 1994		
	*WO 94/05303	International	17 March 1994		
	*WO 94/10194	International	11 May 1994		
	*WO 94/24281	International	27 October 1994		
	*WO 95/07933	International	23 March 1995		
	*WO 95/34578	International	21 December 1995		
	*WO 96/36880	International	21 November 1996		
	*WO 97/05265	International	13 February 1997		
	*WO 97/24139	International	10 July 1997		
	*WO 98/43657	International	10 August 1998		
	*WO 98/39029	International	11 September 1998		
	*WO 98/32866	International	30 July 1998		
	*WO 99/34826	International	15 July 1999		
	*WO 99/38978	International	8 May 1999		
	*WO 99/16467	International	8 April 1999		
	*WO 99/49879	International	7 October 1999		
	*WO 99/38978	International	5 August 1999		
	*WO 01/36621	International	25 May 2001		
/	*EP 0684812	International	21 January 1998		
\overline{V}	*EP 0877033	International	11 November 1998		
Examiner's		ОТН	ER DOCUMENTS		
nitials	0	Including Author,	Title, Date, Pertinent Page	s. Etc.)	
- V	*AAS, et al., "Physico-Chemical Properties and Specific Activity of a Purified Allergen				
PAH	(Codfish)", Dev. Biol. Stand. 29: 90-98, 1975.				
	*Aki, et al., "Immunochemical Characterization of Recombinant and Native Tropomyosins as a				
	New Allergen from the House Dust Mite, Dermatophagoides Farinae", J. Allergy Clin.				
	Immunol., 96:74-83, 1995.				
	*Alenius, et al., "Prohevein from the Rubber Tree (Hevea Brasiliensis) is a Major Latex				
	Allergen," Clin. Exp. Allergy, 25(7): 659-665, 1995.				
	*Alenius, et al., "The Main IgE-Binding Epitope of a Major Latex Allergen, Prohevein, is				
	Present in its N-Terminal 43-Amino Acid Fragment, Hevein" J. Immunol. 156(4): 1618-1625,				
	1996.				
	*Alenius, et al., "IgE Reactivity to 14-kD and 27-kD Natural Rubber Proteins in Latex-Allergic				
	Children with Spina Bifida and Other Congenital Anomalies", Int. Arch. Allergy Immunol.,				
	102 :61-66, 1993.				
1,	*Ansari, et al "A	Investigation of Hun	nan Response to Pereninal Ryegr	ass", J. Allergy Clin.	
\/	Immunol. 80: 229	_	1	, 3	

John. Ha

7/22/03

(SEP	<u></u>
Examinar's	OTHER DOCUMENTS (CONT.) (Including Author Title Date Portinent Pages Fts.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
Tok	*Ansari, et al., "Complete Amino Acid Sequence of a Lolium Perenne (Perennial Rye Grass) Pollen Allergen, Lol p II" J. Biol. Chem., 264:11181-11185, 1989.
	*Ansair, et al., "Complete Primary Structure of a Lolium Perenne (Perrennial Rye Grass) Pollen Allergen, Lol p III: Comparison with Known Lol P I and II Sequences", <i>Biochemistry</i> , 28 :8665-8670, 1989.
	*Apold, et al., "The Allergenic Structure of Allergen M from Cod. III. Studies on the Antigenic of Long-Sequence Peptides", <i>Int Arch Allergy Appl Immunol.</i> 58(3) : 337-43, 1979.
	*Arruda, et al., "Molecular Cloning of a Major Cockroach (Blattella Germanica) Allergen, Bla g 2", J. Biol. Chem., 270:19563-19568, 1995.
:	*Arruda, et al., "Cloning of Cockroach Allergen, Bla g 4, Identifies Ligand Binding Proteins (or Calycins) as a Cause of IgE Antibody Responses" J. Biol. Chem. 270: 31196-31201, 1995.
	*Arruda, et al., "Molecular Cloning of German Cockroach (Blattella Germanica) Allergens", Int. Arch Allergy Immunol., 107:295-297, 1995.
	*Asturias, et al., "Cloning and High Level Expression of Cynodon Dactylon (Bermuda Grass) Pollen Profilin (Cyn d 12) in Escherichia Coli: Purification and Characterization of the Allergen' Clin. Exp. Allergy, 27:1307-1313, 1997.
	*Asturias, et al., "Cloning and Expression of the Panallergen Profilin and the Major Allergen (Ole e 1) from Olive Tree Pollen", <i>J. Allergy Clin Immunol</i> 100:365-372, 1997.
	*Attanayaka, et al., "Molecular Cloning and Nucleotide Sequencing of the Rubber Elongation Factor Gene from Hevea Brasilienis", <i>Plant Mol. Biol.</i> , 16 :1079-1081, 1991.
	*Aukrust, L., "Purification of Allergens in Cladosporium Herbarum", <i>Allergy</i> , 35 : 206-207, 1980.
	*Aukrust, et al., "Partial Purification and Characterization of Two Cladosporium Herbarum Allergens", <i>Int Arch Allergy Appl Immunol.</i> , 60 :68-79, 1979.
	*Avjioglu, et al.,"Sequence Analysis of Sor H I, The Group I Allergen of Johnson Grass Pollen and Its Comparison to Rye-Grass Lol P I" J. Allergy Clin. Immunol. 91:340.
·	*BSAC Working Party, "Position Paper on Allergen Immunotherapy," Clin. Exp. Allergy, 23: 1-44 (1993).
	*Ball, et al., "A Major Continuous Allergenic Epitope of Bovine Beta-Lactoglobulin Recognized by Human IgE Binding", <i>Clin. Exp. Allergy</i> , 24 : 758-764, 1994.
	*Bannon, et al., "Tertiary Structure and Biophysical Properties of a Major Peanut Allergen, Implications for the Production of a Hypoallergenic Protein", <i>Int. Arch Allergy Immunol.</i> 118(2-4), 315-6, February-April, 1999.
	*Bannon, et al., "Ara h 3, A Peanut Allergen Identified by Using Peanut Sensitive Patient Sera Adsorbed with Soy Proteins" Abstract.
1/	*Barnett, et al., "Multiplicity of Allergens in Peanuts," J. Allergy Clin. Immunol., 72: 61-8, 1983
V	*Barnett, et al., "Partial Characterization of an Allergenic Glycoproteins from Peanut", Biochimica et Biophysica Acta 882: 97-105, 1986.

py N. 54

7/25/07

	TECH CENTER 1600/2900
Examiner's	OTHER DOCUMENTS (CONT.)
Initials	(Including Author, Title, Date, Tel thent Tages, 2007)
~ N	*Batanero, et al., "Ole e 3, an Olive-Tree Allergen, Belongs to a Widespread Family of Pollen
The	Proteins" Eur. J. Biochem., 241:772-778, 1996.
	*Bauer, et al., "Modulation of the Allergic Immune Response in BALB/c Mice by Subcutaneo Injection of High Doses of the Dominant T Cell Epitope from the Major Birch Pollen Allergen Bet v 1", Clin Exp Immunol, 107(3): 536-41, March. 1997.
	*Bayard, et al., "Mapping of IgE Binding Regions in the Major Rat Orinary Protein, Alpha 2u-Globulin, Using Overlapping Peptides", <i>Immunol. Invest</i> , 28(5-6): 323-38, September-
,	*Bernhisel-Broadbent, et al., "Cross-Allergenicity in the Legume Botanical Family in Children with Food Hypersensitivity. II. Laboratory correlates" <i>J Allergy Clin. Immunol.</i> , 84: 701-709
·	*Bevier, "Flea Allergy Dermatitis Testing Breakthrough", Canine Practice, 22(2-3): 49-50,
	*Birkner, et al., "Evaluation of Immunotherapy-Induced Changes in Specific IgE, IgG, and IgG-subclasses in Birch Pollen-Allergic Patient by Means of Immunoblotting, Correlation with
	*Bock, "Natural History of Severe Reactions to Foods in Young Children, J. Fediair. 107. 070-
	*Deale "The Natural History of Peanut Allergy" J. Allergy Clin. Immunol., 83: 900-904 (1989).
	*Botros, H., "Cross-Antigenicity of Horse Serum Albumin with Dog and Cat Albumins: Study of Three Short Peptides with Siginificant Inhibitory Activity Towards Specific Human IgE and
	IgG Antibodies", Immunology, 88: 340-47, 1996. *Boulet, et al., "Inhibitory Effects of an Anti-IgE Antibody E25 on Allergen-Induced Early Asthmatic Response," Am J. Respir Crit Care Med., 155: 1835-1840, 1997.
	*Brand, et al., "Allergen-Specific Immune Deviation from a TH2 to TH1 Response induced by Dendritic Cells and Collagen Type 1", J. Allergy Clin. Immunol. 104(5): 1052-58, November,
	*Breiteneder, et al., "Diversity of Human T Cell Receptor Sequences of T Cell Clones with Specificit Bet v 1 Peptide/MHC II Complexes", Adv Exp Med Biol. 409:365-74, 1996.
	*Breiteneder, et al., "Four Recombinant Isoforms of Cor a I, the Major Allergen of Hazel Pollen, Show Different IgE-Bjnding Properties", Europ. J. Biochem. 212:355-362, 1993.
	*Breiteneder, et al., "Complementary DNA Cloning and Expression in Escheria Coli of Aln g l, the Major Allergen in Pollen odf alder (Alnus glutinosa)," J. Allergy Clin. Immunol., 90: 909-917 (1992)
	*Briner, et al., "Peripheral T-Cell Tolerance Induced in Naive and Primed Mice by Subcutaneo Injection of Peptides From the Major Cat Allergen Fel D I", <i>Proc. Natl Acad Sci USA</i> , 90 (16): 7608-12, August 15, 1993.
	*Bulone, A., "Separation of Horse Dander Allergen Proteins by Two-Dimensional Electrophoresis Molecular Characterisation and Identification of Equ c 2.0101 and Equ c 2.0102 as Lipocalin Proteins", Eur J. Biochem., 253:202-211, 1998.

peys, to

	TEOU CENTED 1000/0
xaminers	OTHER DOCUMENTS (CONT.)
nitials	(Including Author, Title, Date, Pertinent Pages, Etc.)
	*Burks, et al., "Allergeicity of Peanut and Soybean Extracts Altered by Chemical or Thermal
Puk	Denaturation in Patients with Atopic Dermatitis and Positive Food Challenges", J. Allergy Clin Immunol, 90(6 pt 1): 889-97, 1992.
1	*Burks, et al., "Anaphylactic Reactions Following Gammaglibulin Administration in Patients
	with Hypgammaglobulinema: Detection of IgE antibodies to IgA," N. Eng. J. Med. 314: 560-4, 1986
	*Burks, et al., "Antibody Response to Milk Proteins in Patients with Milk-Protein Intolerance Documented by Challenge," J. Allergy Clin. Immunol. 85: 921-7, 1990.
	*Burks, et al., "Atopic Dermatitis: Clinical Relevance of Food Hypersensitivity Reactions", J. Pediatr. 113: 447-451, 1988.
	Cloning of the Ara H II Peanut Allergen by Polymerase Chain Reaction (PCR) Amplification", Abstract.
	*Burks, et al., "The Identification of A Family of Vicilin-Like Genes Encoding Allergens Responsible for Peanut Hyper-Sensitivity", Abstract.
	*Burks, et al., Épitope Specificity and Immunoaffinity Purification of the Major Peanut Allergen, Ara h l,", J. Allergy Clin Immunol. 93(4): 743-50 (1994)
	*Burks, et al., "Identification and Characterization of a Second Major Peanut Allergen, Ara h II, with Use of the Sera of Patients with Atopic Dermatitis and Positive Peanut Challenge," J Allergy Clin Immunol 90(6 pt 1):962-9 (1992).
	*Burks, et al., "Identification of a Second Major Peanut Allergen in Patients with Atopic Dermatitis and Peanut Hypersensivity," J. Allergy Clin. Immunol. 87:211, 1991.
	*Burks, et al., "Identification of Peanut Agglutinin and Soybean Trypsin Inhibitor as Minor Legume Allergens," <i>Int Arch Allergy Immunol.</i> 105(2): 143-9, 1994.
	*Burks, et al., "Identification of a Major Peanut Allergen Ara h 1, in Patients with Atopic Dermatitis and Positive Peanut Challenge," J. Allergy Clin. Immunol. 88, 172-179, 1991.
	*Burks, et al., "Isolation, Identification, and Characterization of Clones Encoding Antigens Responsible for Peanut Hypersensitivity", <i>Int. Arch. Allergy Immunol.</i> 107 (1-3): 248-50, May-June, 1995.
	*Burks, et al., "Mapping and Mutational Analysis of the IgE-Binding Epitopes on Ara h 1, a Legume Vicilin Protein and a Major Allergen in Peanut Hypersensitvity", Eur J. Biochem. 245(2): 334-9, April, 1997.
	*Burks, et al., "Modification of a Major Peanut Allergen Leads to Loss of IgE Binding", Int. Arch Allergy Immunol. 118(2-4), 313-4, February-April, 1999.
	*Burks, et al., "Peanut Allergens", Allergy, 53(8): 725-30, August, 1998.
	*Burks, et al., "Production of Murine Monoclonal (mAb) Antibodies to Ara H1, A 63.5 kD
	Allergen in Peanuts, J. Allergy Clin. Immunol. 87: 210, 1991. *Burks, et al., "Recombinant Peanut Allergen Ara h I Expression and IgE Binding in Patients *Clin 1715 21, October 1996
	with Peanut Hypersensitivity", <i>J. Clin. Invest.</i> 96(4) : 1715-21, October, 1996. *Burks, et al., "Cloning, Epitope Mapping and Mutational Analysis of Ara H 2, A Major Peanut
	Allergen", Abstract.

*Butch, et al., "Properties of Human Follicular Dendritic Cells Purified with HJ2, a New Monoclonal Antibody", Cellular Immunology, 155, 27-41 (1994).

SEP 1 3 2002

	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/28				
xaminer's A	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)				
Puk	*Cardaba, et al., "Antibody Response to Olive Pollen Antigens: Association Between HLA Class II Genes and IgE Response to Ole e I" J. Allergy Clin. Immunol. 91:338, 1993.				
	*Chaloin, et al., "Conformations of Primary Amphipathic Carrier Peptides in Membrane Mimicking Environments", <i>Biochemistry</i> , 36 : 11179-11187, 1997.				
	*Chanman et al. "Purification of Allergens," Curr. Opin. Immunol., 1: 647-53, 1989.				
	*Chen, et al., "Allergenic and Antigenic Determinants of Latex Allergen Hev B 1: Peptide Mapping of Epitopes Recognized by Human, Murine and Rabbit Antibodies", Clin Exp Allergy,				
	*Chen, et al., "Isolation and Identification of Hevein as a Major Ige-Binding Polypeptide III House Later," I. Allergy Clin. Immunol. 99(3): 402-409, 1997.				
	*Cheng, et al., "House Dust Mite-Induced Sensitivity in Mice", Journal of Altergy and Clinical				
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", Faseb Journal,				
	*Cheng, et al., "House-Dust Mite (HDM) Induced Hypersensitivity in Mice", Journal of Attergy and Clinical Immunology", 95(1) : 380,1995.				
	*Christie, et al., "N-Terminal Amino Acid Sequence Identity Between a Major Allergen of Asacris Lumbricoides and Ascaris Suum, and MHC-Restricted IgE Responses to it", <i>Immunology</i> , 69 :596-602, 1990.				
	*Chua, et al., "Sequence Analysis of cDNA Coding for A Major House Dust Mite Allergen" J. Exp. Med. 167:175-182, 1988.				
	*Chua, et al., "Isolation of cDNA Coding for the Major Mite Allergen Der p II by IgE Plaque Immunoassay", Int. Arch. Allergy Appl. Immunol. 91:118-123, 1990.				
	*Clarke, et al., "Structure of Mouse Major Urinary Protein Genes: Different Splicing Configurations in the 3' - Non-Coding Region", EMBO J., 3:1045-1052, 1984.				
	*Cockrell, et al., "Monoclonal Antibody Enzyme-Linked Immunosorbent Assay (ELISA) for Ara H 1. A Major Peanut Allergen," J. Aller, Clin. Immunol., 89: Abstract 613, 1992.				
	*Colman, "Production of Proteins in the Milk of Transgenic Livestock: Problems, Solutions, and				
	*Colman, A. "Production of Therapeutic Proteins in the Milk of Transgenic Livestock Biochem.				
	*Cooke & Sampson, "Allergenic Properties of Ovomucoid in Man," J. Immunol. 159(4): 2020-				
	*Corbi, et al., "Identification of IgE Binding Polypeptides Cross-Reactive with the Parietaria				
	*Counsell, et al., "Definition of the Human T-Cell Epitopes of Fel D 1, the Major Allergen of the Domestic Cat", J Allergy Clin Immunol. 98(5 Pt 1): 884-94, November, 1996.				
	*Crameri, et al., "Epidemiology and Molecular Basis of the Involvement of Aspergillus Fumigatus in Allergic Diseases", Contrib Microbiol. Basel. Karger, 2: 44-56.				

Py N. Jz

7/25/03

	OTHER DOCUMENTS (CONT.)
	OTHER DOCUMENTS (CONT.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
Put	*Czisch, et al., "Conformations of Peptide Fragments Comprising the Complete Sequence of Component III of Chi t I and Their Relationship to T-Cell Stimulation", <i>Biochemistry</i> 33(32): 9420-7, August, 1994.
	*Czuppon, et al., "Allergens, IgE, Mediators, Inflammatory Mechanisms", The Rubber Elongation Factor of Rubber Trees (Hevea Brasiliensis) is the Major Allergen in Latex", J. Allergy Clin Immunol., 92:690-697, 1993.
	*Daul, et al., "Identification of the Major Brown Shrimp (Penaeus Aztecus) Allergen as the Muscle Protein Tropomyosin", <i>Int Arch Allergy Immunol.</i> 105 : 49-55, 1994.
	*Day, "Genetic Modification of Proteins in Food," Critical Reviews in Food Science and Nutrition, 36(S): S49-S67, 1996.
	*De Palma, et al., "Use of Antagonist Peptides to Inhibit in Vitro T Cell Responses to Par j1, The M Allergen of Parietaria Judaica Pollen", J. Immunol. 162(4): 1982-7, February 15, 1999.
	*De Jong, et al., "Food Allergen (Peanut)-Specific TH2 Clones Generated from the Peripheral Blood of a Patient with Peanut Allergy," <i>J Allergy Clin Immunol.</i> 98(1) : 73-81, 1996.
	*Demerec, et al., "A Proposal for a Uniform Nomenclature in Bacterial Genetics", Genetics, 5 61-75, 1966.
	*de Groot, "Affinity Purification of a Major and a Minor Allergen from Dog Extract: Serologi Activity of Affinity-Purified Can f I and of Can f I-Depleted Extract" <i>J Allergy Clin. Immuno</i> 87:1056-1065, 1991.
	*Demoly, et al., "Anti-IgE Therapy for Asthma," American J. Resp. Crit Care Med. 155: 1825, 1827, 1997.
	*Derossi, et al., "Cell Internalization of the Third Helix of the Antennapedia Homeodomain is Receptor-Independent", <i>The Journal of Biological Chemistry</i> , 271 (30): 18188-18193, 1996.
	*Deuell, et al., "Trichophyton Tonsurans Allergen I, Characterization of a Protein That Causes Immediate But Not Delayed Hypersensitivity" J. Immunol., 147:96-101, 1991.
	*Dilworth, et al.,"Sequence Analysis of cDNA Coding for a Major House Dust Mite Allergen, Der f I" Clin. Exp. Allergy, 21:25-32, 1991.
	*Directions for Use, Pharmacia Diagnostics AB, Uppsala, Sweden 1985 (Revised 1988).
	*Dolecek, et al., "Molecular Characterization of PhI p II, a Major Timothy Grass (Phleum Pratense) Pollen Allergen", FEBS Letter., 335:299-304, 1993.
	*Ebner, et al., "Multiple T Cell Specificities for Bet v I, the Major Birch Pollen Allergen, with Single Individuals. Studies using Specific T Cell Clones and Overlapping Pepti", Eur J Immur. 23(7): 1523-7, July, 1993.
	*Eichler & Houghten, "Generation and Utilization of Synthetic Combinatorial Libraries," Mol Med. Today, 1(4): 174-80, 1995.
	*Eigenmann, et al., "Identification of Unique Peanut and Soy Allergens in Sera Adsorbed with Cross-Reacting Antibodies", J. Allergy Clin Immunol, 98(5 pt 1):969-78, November, 1996.
1	*Ekramoddoullah, "Allergenic Cross Reactivity of Cytochrome c From Kentucky Bluegrass at Perennial Ryegrass Pollens"., <i>Moll Immunol.</i> 19: 1527-1534, 1982.

Py J. Har

7/22/03

Initials (Including Author, Title, Date, Pertinent Pages, Etc.) *Elfman, et al., "IgE Binding Capacity of Synthetic and Recombinant Peptides of the Major Sto Mite (Lepidoglyphus Destructor) Allergen, Lep d 2", Int Arch Allergy Immunol. 117(3): 167-73 November 1998. *Elsayed, et al., "A Synthetic Hexadecapeptide Derived from Allergen M Imposing Allergenic Antigenic Reactivity", 12(2): 171-5, 1980. *Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium-Binding o Cod Allergen M", Scand J Immunol. 14(2): 207-11, August, 1981. *Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Elsayed, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Magl and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I Allergenic Determinant", Mol. Immunol. 26:537-561. *Elsayanion, "Methods of Production and Perspectives for Use of Transgenic Domesti	Examiners	OTHER DOCUMENTS (CONT.)
*Elfman, et al., "IgE Binding Capacity of Synthetic and Recombinant Peptides of the Major Sto Mite (Lepidoglyphus Destructor) Allergen, Lep d 2", Int Arch Allergy Immunol. 117(3): 167-73 November 1998. *Elsayed, et al., "A Synthetic Hexadecapeptide Derived from Allergen M Imposing Allergenic Antigenic Reactivity", 12(2): 171-5, 1980. *Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium-Binding of Cod Allergen M", Scand J Immunol. 14(2): 207-11, August, 1981. *Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-LeDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "High-Molecular-Weight Malergens of the House Dust Mite: An Apolipophorin-LeDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives f		OVER 1
Mite (Lepidoglyphus Destructor) Allergen, Lep d 2", Int Arch Allergy Immunol. 117(3): 167-73 November 1998. *Elsayed, et al., "A Synthetic Hexadecapeptide Derived from Allergen M Imposing Allergenic Antigenic Reactivity", 12(2): 171-5, 1980. *Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium-Binding of Cod Allergen M", Scand J Immunol. 14(2): 207-11, August, 1981. *Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-LeDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Disch Tierarati Wochenschr. 103(8-9): 320-8, 1996. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Disch Tierarati Wochenschr. 103(8-9): 320-8, 1996. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Disch Ti	<u> </u>	
Antigenic Reactivity", 12(2): 171-5, 1980. *Elsayed, et al., "Allergenic Synthetic Peptide Corresponding to the Second Calcium-Binding of Cod Allergen M", Scand J Immunol. 14(2): 207-11, August, 1981. *Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group-I Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Disch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Aller	Puk	Mite (Lepidoglyphus Destructor) Allergen, Lep d 2", Int Arch Allergy Immunol. 117(3): 167-73,
*Elsayed, et al., "Antigenic and Allergenic Determinants of Ovalbumin. I. Peptide Mapping, Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155		
Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl OA", Int Arch Allergy Appl Immunol. 79(1): 101-7, 1986. *Elsayed, et al., "Synthetic Allergenic Epitopes from the Amino-Terminal Regions of the Major Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *ESch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I-Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Disch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Re		
Allergens of Hazel and Birch Pollen", Int Arch Allergy Appl Immunol. 89: 410-415, 1989. *Elsayed, et al., "Tryptic Cleavage of a Homogenous Cod Fish Allergen and Isolation of Two Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Hsolation and Characterization of A Major Cross-Reactive Grass-Group I-Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Accad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		Cleavage at the Methionyl Peptide Bonds and Enzymic Hydrolysis of Native A Carboxymethyl
Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972. *Elsayed, et al., "The Primary Structure of Fragment TM2 of Allergen M from Cod", Scand J. Immunol., 3: 683-686, 1974. *Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I-Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.	,	<u> </u>
*Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972. *Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I-Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		Ac Polypeptide Fragments" Immunochemistry, 9(6): 647-61, June, 1972.
*Enomoto, et al., "Antibodies Raised Against Peptide Fragments of Bovine Alpha s1-Casein Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I-Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		
Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants" Mol Immunol. 27(6): 581-6, June, 1990. *Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-L cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass-Group I-Allergenie Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		*Elsayed, et al., "Cod Fish Allergen Structure", Immunochemistry, 9:647-661, 1972.
cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragment Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999 *Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I Allergenic Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		Cross-with the Intact Protein Only When the Peptides Contain Both B and T Cell Determinants",
*Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I- Allergenie Determinant", Mol. Immunol. 26:557-561. *Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996. *Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		*Epton, et al., "High-Molecular-Weight Allergens of the House Dust Mite: An Apolipophorin-Li cDNA has Sequence Identity with the Major M-177 Allergen and the IgE-Bin Peptide Fragments Mag1 and Mag3", Int Arch Allergy Immunol. 120(3): 185-91, November, 1999
*Ezhevsky, et al., "Hypo-Phosphorylation of the Retinoblastoma Protein (pRb) by Cyclin: D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		*Esch, et al., "Isolation and Characterization of A Major Cross-Reactive Grass Group I-
D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704, 1997. *Fahhoum, et al., "Immunologic Variables in a Murine Model of House Dust Mite Sensitivity", Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		*Espanion, "Methods of Production and Perspectives for Use of Transgenic Domestic Animals," DTW Dtsch Tierarzti Wochenschr. 103(8-9): 320-8, 1996.
Journal of Allergy and Clinical Immunology, 99(1): 676, 1997. *Fahhoum, et al., "Tolerization of House Dust Mite Sensitive Mice Using a Major HDM Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		D:Cdk4/6 Complexes Results in Active pRb", Proc. Natl. Acad. Sci. USA, 94:10699-10704,
Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998. *Fahy, et al., "The Effect of an Anti-IgE Monoclonal Antibody on the Early-and Late-Phase Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med, 155: 1828-1834, 1997.		Journal of Allergy and Clinical Immunology, 99(1) : 676, 1997.
Responses to Allergen Inhalation in Asthmatic Subjects," <i>American J Respir Crit Care Med</i> , 155 : 1828-1834, 1997.		Peptide", Journal of Allergy and Clinical Immunology, 101(1): 252, 1998.
The state of the s		Responses to Allergen Inhalation in Asthmatic Subjects," American J Respir Crit Care Med,
Antigen 5", Natl. Acad. Sci., USA, 85:895-899, 1988.	V	*Fang, et al., "cDNA Cloning and Primary Structure of a White-Face Hornet Venom Allergen, Antigen 5", Natl. Acad. Sci., USA, 85:895-899, 1988.

PG N. 7/2

	KECEIVED.
	SEP 1 3 2002
Examiner's Initials	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/290
Dul	*Fasler, et al., "Antagonistic Peptides Specifically Inhibit Proliferation, Cytokine Production, CD40L Expression, and Help for IgE Synthesis by Der p 1-Specific Human T-Cell Clones", J
[04]	*Fasler, et al., "Peptide-Induced Anergy in Allergen-Specific Human Th2 Cells Results in Lack Cytokine Production and B Cell Help for IgE Synthesis. Reversal IL-2, not IL-4 or IL-13", J Immunol. 155(9): 4199-206, November 1, 1995.
	*Ferreira, et al., "Modulation of IgE reactivity of allergens by Site-Directed Mutagenesis: Potential Use of Hypoallergenic Variants for Immunotherapy", FASEB J, 12: 231-242 (1998)
	*Fields, et al., "Solid Phase Peptide Synthesis Utilizing 9-Fluorenylmethoxycarbonyl Amino Acids," Int J Pept Protein Res. 35(3): 161-214, 1990.
	*Fischer, et al., "Characterization of PhI p 4, a Major Timothy Grass (Phleum Pratense) Pollen Allergen" J. Allergy Clin Immunol. 98: 189-198, 1996.
	*Fitzsimmons, et al., "Immunotherapy-Definition and Mechanism," Allergy Proc., 11: 156 (1990)
	*Fuchs, et al., "Ingredients for Fat Replacement," Food Tech. 51: 82-87, 1997.
	*Fung-Leung, et al., Transgenic Mice Expressing the Human High-Affinity Immonoglobulin (lg) E Receptor Alpha Chain Respond to Human lgE in Mast Cell Degranualtion and in Allergic Reactions," J. Exp. Med. 183: 49-56 (1996).
	*Garcia, et al., "Nonspecific Changes in Immunotherapy with House dut extract", J. Invest Alergol. Clin Immunol. 5 18-24 (1995).
	*Geluk, et al., "HLA-DR3 Molecules can Bind Peptides Carrying Two Alternative Specific Submotifs", <i>J Immunol.</i> 152(12): 5742-8, June 15, 1994.
	*Ghosh, et al., "Cloning and Expression of Immunologically Active Recombinant Amb a V Allergen of Short Ragweed Pollen", J. Immunol., 150: 5391-5399, 1993.
	*Gjesing, et al., "Immunochemistry of Food Antigens", Ann. Allergy, 53:602-608, 1984.
	*Gibbs, et al., "Evolution of Legume See Storage Proteins – a Domain Common to Legumins and Vicilins is Duplicated in Vicilins," <i>Mol. Biol. Evol.</i> , 6: 614-623 (1989).
-	*Gieni, et al., Allergen-Specific Modulation of Cytokins Synthesis Patterns and IgE Responses in Vivo with Chemically Modified Allergen," <i>The Journal of Immunol.</i> , 150 : 302-310 (1993).
	*Gius, et al., "Transduced p16 ^{fNK4a} Peptides Inhibit Hypophosphorylation of the Retinoblastoma Protein and Cell Cycle Progression Prior to Activation of Cdk2 Complexes in Late G ₁ ¹ " Cancer Research, 59 :2577-2580, 1999.
	*Gmachl, et al., "Bee Venom Hyaluronidase is Homologous to a Membrane Protein of Mammalian Sperm", <i>Proc. Natl. Acad. Sci. USA.</i> , 90 :3569-3573, 1993.
	*Gonzalez, et al., "Soybean Hydrophobic Protein and Soybean Hull Allergy" <i>Lancet</i> , 346 :48-49, 1995.
	*Goodfriend, et al., "New Ragweed Pollen Allergens", Fed. Proc. 38: 1415.
1	*Goodfriend, et al., "Ra5G, A Homologue of Ras5 In Giant Ragweed Pollen: Isolation, HLA-DR-Associated Activity and Amino Acid Sequence", Mol. Immunol. 22: 899-906, 1985.

	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/290
Examiner's	
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
-1	*Gordon, "Future Immunotherapy: What Lies Ahead?, Otolaryngol Head Neck Surg., 113: 603-
Mu	*Greene, "Characterization of Allergens of the Cat Flea, Ctenocephalides Felis: Detection and
1	*Greene, "Characterization of Allergens of the Cat Flea, Cichocephandes Fons. Between Percentage of IgE Antibodies in Canine Sera," Parasit Immunology, 15: 69-74, 1993.
	to the late and IgC Binding of Pentides Expressed from Fragments of CDNA Encoung
	the Major House Dust Mite Allergen Der p I" J Immunol. 147(11): 3768-73, December 1, 1997.
 	*Griffith, et al., "cDNA Cloning of Cry j r, The Major Allergen of Cryptomeria Japonica
	(Japanese Cedar)" J. Allergy. Clin. Immunol. 91:339, 1993.
	to: State at al. "Sequence Poymorphisms of Amb a I and Amb a II, The Major Allergens in
	Ambrosia Artemisiifolia (Short Ragweed). Int. Arch. Allergy Appl. Immunot. 90. 290-304, 1991.
	*Griffith, et al., "Expression and Genomic Structure of the Genes Encoding FdI, the Major
	Allergen from the Domestic Cat", Gene, 113: 263-268, 1992.
	*Griffith, et al., "Cloning and Sequencing of Lol pI, the Major Allergenic Protein of Rye-Grass
1	Pollen", FEBS Letters, 279:210-215, 1991.
	*Gross, et al., "Isolation and Partial Characterization of the Allergen in Mountain Cedar Pollen",
	Scand J. Immunol., 8:437-441, 1978.
	*Currin Marchand, et al. "Cloning Sequencing and Immunological Characterization of Dac g
	3, A Major Allergen From Dactylis Glomerata Pollen", Mol. Immunol. 33:797-806, 1996.
	*Habermann, E. "Bee and Wasp Venoms", Science, 177:314-322, 1972.
	*Halliwell, "Aspects of the Immunopathogenisis of Flea Allergy Dermatitis in Dogs," Veterinary
	Immunology and Immunonathology 17: 483-494, 1987.
	*Halliwell, IgE and IgG Antibodies to Flea Antigen in Differing Dog Populations," Veterinary
	Immunology and Immunopathology, 8: 215-223, 1985. *Halmepuro, et al., "Crawfish and Lobster Allergens: Identification and Structural Similarities
	11. Other Cristopes" Int. Arch Alleroy Appl. [mmiin, 84: 103-72, 1987.
	*Haraldon et al. "Immunoglobulin F-independent Major Histocompatibility Complex-restricted
	T Cell Peptide Epitope-induced Late Asthmatic Reactions" J Exp Med. 189(12): 1885-94, June
	21 1000
	*Hawrylowicz, et al., "T-Cell Receptor Peptides that Inhibit the T-Cell Response to Allergen
1	Induce Transforming Growth Factor-Beta 1 Production", J Allergy Clin Immunol. 97(2): 707-9,
<u> </u>	February, 1996. *Hefle, et al., "Isolation of Peanut Allergens Using Monoclonal Antibodies," J. Allergy and
1 1	Clinical Immunology 87: Abstract 209, 1991.
	*Ileinan et al. "PAST Analyses of Peanut Allergens." J. Allergy Clin. Immunot., 33. 62, 1973.
	*II-les et al. "A Major Allergen Involved in IgE Mediated Cockroach Hypersensitivity is a 90
	L.D. Duratoin with Multiple IgE Rinding Domains", Adv Exp Med Blot. 409: 207-6, 1990.
	*Helm, et al., "Cellular and Molecular Characterization of a Major Soybeam Alleigen", Inc. Arch
	411 Immunol 117(1) 20-37 Sentember 1998.
	*Helm, et al., "IgE-Binding of Homologous Legume Vicilins and Glycinins of Soybean and
1	Peanut Allergens", Abstract.

THY N. X

7/22/07

[F	STATE OF CHARLES (CONT.)
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
	*Helm, et al., "Isolation and Characterization of a Clone Encoding a Major Allergen (Bla g
PUH	Bd90K) Involved in IgE-Mediated Cockroach Hypersensitivity", J Allergy Clin Immunol. 98(1):
14"	172-80, July, 1996.
1 1	*Helm, et al., "Isolation and Characterization of Clones Encoding Cockroach Allergens", Int.
ļ	Arch Allergy Immunol. 107(1-3): 462-3, May-June, 1995.
	*Helm, et al., "Mutational Analysis of the IgE-binding Epitopes of P34/Gly m Bd 30K", J
	Allergy Clin. Immunol. 105(2): 378-84, January, 2000.
ļ	*Helm, et al., "Cloning of a Portion of Ara H 3: A Peanut Allergen", Abstract.
	*Herian, et al., "Identification of Soybean Allergens by Immunoblotting with Sera from Soy-
<u> </u>	Allergic Adults," Int. Arch. Allergy Appl. Immunol. 92: 193-198, 1990.
	*Hetzel, et al., "Peptide-Mediated Immunoregulation", Int Arch Allergy Immunol. 107:(1-3):
ļ	275-7, May-June, 1995.
[]	*Higgins, et al., "Overlapping T-Cell Epitopes in the Group I Allergen of Dermatophagoides sp
	Restricted by HLA-DP and HLA-DR Class II Molecules", <i>J Allergy Clin Immunol.</i> 93(5) : 891-9, May, 1994.
	*Higgins, et al., "Peptide-Induced Nonresponsiveness of HLA-DP Restricted Human T Cells rea
	with Dermatophagoides spp", J Allergy Clin Immunol. 90(5): 749-56, November, 1992.
 	*Hirahara, et al., "Oral Administration of A Dominant T-Cell Determinant Peptide Inhibits
[Allergen-Specific TH1 and TH2 Cell Responses in Cry J 2-Primed Mice", J Allergy Clin
	Immunol. 102(6 Pt 1): 961-7, December, 1998.
	*Ho, et al., "Comparison of the Immunogenicity of Wasp Venom Peptides With or Without
	Carbohydrate Moieties", Toxicon. 36(1): 217-21, January, 1998.
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXV: The Amino Acid Sequences of
[Antigen 5 Molecules and the Structural Basis of Antigenic Cross-Reactivity", J. Allergy Clin.
	Immunol., 92:707-716, 1993.
	*Hoffman, et al., "Allergens in Hymenoptera Venom XXIV: The Amino Acid Sequences of
1	Imported Fire Ant Venom Allergens Sol i II, Sol i III, and Sol i IV" J. Allergy Clin. Immunol.,
	91 :71-78, 1993.
	*Hoffman, D.R., "Immunochemical Identification of the Allergens in Egg White", J. Allergy
	Clin. Immunol. 71:481-486, 1983.
 	*Hong, et al., "Pepsin-Digested Peanut Contains T-Cell Epitopes But no IgE Epitopes", J.
	Allergy Clin. Immunol. 104: 473-7, 1999.
 	*Horner, et al., "Identification of the Allergen Psi c 2 from the Basidiomycete Psilocybe
	Cubensis as a Fungal Cyclophilin", <i>Int. Arch. Allergy Immunol.</i> , 107 :298-300, 1995.
 	*Hoyne, et al., "Inhibition of T-Cell Responses by Feeding Peptides Containing Major and Cryp
	Epitopes: Studies with the Der p I Allergen", <i>Immunology</i> 83(2): 190-5, October, 1994.
 	*Hoyne, et al., "Peptide Modulation of Allergen-Specific Immune Responses", Curr Opin
]]/	Immunol. 7(6): 757-61, December, 1995.
 	*Hsu, et al., "Inhibitition of Specific IgE Response in Vivo by Allergen-Gene Transfer," <i>Int.</i>
	Immunol. 8:1405-1411, 1996.
L	1

The short

7/22/03

Evaminar	OTHER DOCUMENTS (CONT.)
Examiner's Initials	OTHER DOCUMENTS (CON1.) (Including Author, Title, Date, Pertinent Pages, Etc.)
	*Jacobson, et al., "Characterization of Bumblebee Venom Allergens" J. Allergy Clin. Immunol.
PJH	91:187, 1993.
L hi.	*Jacobson, et al., "The Cross-Reactivity Between Bee and Vespid Hyaluronidases has a
	Structural Basis" J. Allergy Clin. Immunol., 89:292, 1992.
	*James, et al., "Wheat α-Amylase Inhibitor: A Second Route of Allergic Sensitization", J
	1 Allarm Clin Immunol 99(2): February, 1997.
	* James, et al., "Serum IgE Antibodies From Wheat-Allergenic Patients Bind A 50 kD Wheat
	Protein", Abstract. *Jameson, et al., "The Antigenic Index: A Novel Algorithm for Predicting Antigenic
	Determinants "Comput Appl Rioscil 4: 181-186 (1988).
	*Jansen, et al., "Prevalence of Food Allergy and Intolerance in the Adult Dutch Population," J.
	411 ann Clin Immunol 93: 446-456 (1994).
	* Language et al. "Modulation of The Responses by Peptide Analogues in a Murine Model of Affe
	Asthma: Amelioration or Deterioration of the Disease Process Depends on the Th1 or Th2
	Skewing Characteristics of the Therapeutic Peptide", J Immunol. *Jarman, et al., "Inhibition of Human T-Cell Responses to House Dust Mite Allergens by a T-
	Call December Pentide" I Allergy Clin Immunol, 94(5): 844-52, November 1994.
	*Jeannin et al. "Immunogenicity and Antigenicity of Synthetic Peptides Derived from the Mile
	Allergen Der n I" Mol Immunol 30(16): 1511-8, November 1993.
	* Learning et al. "Specific Histamine Release Capacity of Peptides Selected from the Modelized
	Der p I Protein, a Major Allergen of Dermatophagoides Pteronyssinus", Mol Immunol. 29(6):
	739-49, June, 1992. *Jensen-Jarolim, et al., "Allergen Mimotopes in Food Enhance Type I Allergic Reactions in
	Mice" The FASFR Journal" 13: 1586-92, September, 1999.
	*Jonsen Jarolim et al. "Nonapentides Selected by Phage Display Mimic The Binding Sites of
	Monoclonal Antibodies BIP1 and BIP4 on Bet v 1, The Major Birch Pollen Allergen, Int. Arch
	Allergy Immunol. 118(2-4): 224-5, February-April, 1999. *Jensen-Jarolim, et al., "Peptide Mimitopes Displayed by Phage Inhibit Antibody Binding to Bet
	*Jensen-Jarolim, et al., "Peptide Mimitopes Displayed by I hage mimor Antibody Binding to 2 v 1, the Major Birch Pollen Allergen, and Induce Specific IgG Response in Mice", FASEB J.
	12(15): 1635-42 December, 1998.
	*Jimenez, et al., "Sensitization to Sunflower Pollen: Only an Occupational Allergy? <i>Int. Arch</i>
	4llergy Immunol 105:297-307, 1994
	*Jusko, "Cortiocosteroid Pharmacodynamics: Models for Broad Array of Receptor-mediate
	Dharmacologic Effects "Clin Pharmacol. 30: 303-10, 1990.
	*Kaminogawa, "Food Allergy, Oral Tolerance and ImmunomodulationTheir Molecular and
	Cellular Mechanisms," <i>Biosci. Biotech, Biochem.</i> 60 : 1749-1756, 1996. *Kammerer, et al/. "Modulation of T-Cell Response to Phospholipase A2 and Phospholipase A2-
	Derived Peptides by Conventional Bee Venom Immunotherapy", J Allergy Clin Immunol.
	100(1): 06 103 July 1997
	*Kapitany, et al., "A High Resolution PAS Stain for Polyacrylamide Gel Electrophoresis," Anal.
	Biochem., 56: 361-9, 1973.

TECH CENTER 1600/2900

	A STATE (CONT.)
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
Α.	*Keating, et al. "Immunoassay of Peanut Allergens in Food-Processing Materials and Finished
THE	Frada" I Allarm Clin Immunol 86: 41-44, 1990.
1	*Kettner, et al., "IgE and T-Cell Responses to High-Molecular Weight Allergens from Bee
	Venom", Clin. Exp. Allergy, 29(3): 394-401, March, 1999.
	*KielisZewski, et al. "Potato Lectin: A Modular Protein Sharing Sequence Similarities with the
	Extensin Family, the Hevein Lectin Family, and Snake Venom Disintegrins (Platelet
ļ	Aggregation Inhbitiors)," <i>Plant J.</i> 5(6): 849-861, 1994. *Kim, et al., "Suppressive Vaccination at Allergen-Induced Immunoglobulin E Production by
	Ale Noted DNA Vaccine" Journal of Investigative Medicine, 40(3): A243, 1998.
	*Kim, et al., "Suppressive Vaccination of Allergen-Induced Immunoglobulin E Production by
	the Naked DNA Vaccine" Faseb Journal, 12(5): 6148, 1998.
	*King, et al., "Isolation and Characterization of Allergen from Ragweed Pollen" Biochemistry,
	3: 458-468, 1964.
	*King, et al., "Modulation of the Allergenicity of a Major Peanut Allergen, Ara h 2 by
	*King, et al., "Modulation of the Anergementy of a Major Federal Process, Factor of the Anergements of the Anergements of a Major Federal Process, Factor of the Anergements of the Anergements of a Major Federal Process, Factor of the Anergements of the Anergem
	Mutagenesis of its minute command age States of a Newal Collagenalytic Serine Professe
	*King, et al., "The Isolation and Characterization of a Novel Collagenolytic Serine Protease Allergen (Der p 9) from the Dust Mite Dermatophagoides Pteronyssinus", J. Allergy Clin
	Immunol., 98:739-747, 1996.
	Immunot., 98.739-747, 1990.
	*King, et al., "Structural Studies of a Hornet Venom Allergen Antigen 5, Dol m V and its Sequence Similarity with Other Proteins" <i>Prot. Seq. Data Anal.</i> , 3:263-266, 1990.
	Sequence Similarity with Other Freems Type Sequence
	*King, et al., "Yellow Jacket Venom Allergens, Hyaluronidase and Phospholipase: Sequence Similarity and Antigenic Cross-Reactivity with Their Hornet and Wasp Homologs and Possible
	Implications for Clinical Allergy" Allergy Clin. Immunol., 98:588-600, 1996.
	*Klapper, et al., "Amino Acid Sequence of Ragweed Allergen Ra3", Biochemistry, 19: 5729-
	5734, 1980.
	*Klysner, et al., "Group V Allergens in Grass Pollens: IV. Similarities in Amino Acid Compositions and NH ₂ . Terminal Sequences of the Group V Allergens from Lolium Perenne,
	Poa Pratensis and Dactylis Glomerata", Clin. Exp. Allergy, 22:491-497, 1992.
	*Kohler, et al., "Continuous Cultures of Fused Cells Secreting Antibody of Predefined
	Specificity," Nature, 256: 495-497, 1975.
	*Kopper, et al., "Rapid Isolation of Peanut Allergens and Their Physical Chemical and.
	Historical Characterization" Abstract.
	*Kricek et al. "IgE-Related Pentide Mimotopes, Basic Structures for Anti-Allergy Vaccine
	Development', Int Arch Alleroy Immunol. 118 (2-4): 222-3, February-April, 1999.
	*Krieg, et al., "CpG Motifs in Bacterial DNA Trigger Direct B-Cell Activation," Nature,
	374(6522): 546-9 1995
	*Kuchler, et al., "Analysis of the cDNA for Phospholipase A ₂ from Honeybee Venom Glands;
1 1/	The Deduced Amino Acid Sequence Reveals Homology to the Corresponding Venetral
W	Enzymes", Eur. J. Biochem., 184:249-254, 1989.

John He

7/20/03

c=	The state of the s
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	
	*Kumar, et al., "Isolation and Characterization of a Recombinant Heat Shock Protein of
PNH	Aspergillus Fumigatus", J. Allergy Clin. Immunol., 91:1024-1030, 1993.
	*Kurup, et al., "Immunodominant Peptide Epitopes of Allergen, Asp F 1 from the Fungus Aspergillus Fumigatus", <i>Peptides</i> , 19(9) : 1469-77, 1998.
	*Kwon, et al., "Immunoprotective Effect of Vaccination with DNA Encoding T Cell Epitopes on the Der p Induced IgE Production" <i>Journal of Allergy and Clinical Immunology</i> , 103 : 418, 1999.
	*Kwon, et al., "The Effect of the Intradermal Vaccination with DNA Encoding the T-Cell Receptor on the Induction of Experimental Autoimmune Encephalomyelitis in Mice", <i>Journal of Allergy and Clinical Immunology</i> , 103 : 76, 1999.
	*Lacroix, et al., "Attenuation of Allergen-Evoked Nasal Responses by Local Pretreatment with Exogenous Neuropeptide Y in Atopic Patients", <i>J Allergy Clin Immunol.</i> 98(3) :611-6, September, 1996.
	*Laemmli, "Cleavage of Structural Proteins During the Assembly of the Head of Bacteriophage T4", <i>Nature</i> , 227 : 680-5, 1970.
	*Lake, et al., "House Dust Mite-Derived Amylase: Allergenicity and Physicochemical Characterization", J. Allergy Clin. Immunol. 87:1035-1042, 1991.
	*Langeland, T., "A Clinical and Immunological Study of Allergy to Hen's Egg White", <i>Allergy</i> , 38 :493-500, 1983.
	*Laperche, et al., "Tissue-Specific Control of α _{2u} Globulin Gene Expression: Constitutive Synthesis in the Submaxillary Gland" Cell, 32 :453-460, 1983.
	*Larsen, et al., "PCR Based Cloning and Sequencing of Isogenes Encoding the Tree Pollen Major Allergen Car b I from Carpinus Betulus, Hornbeam", Mol. Immunol. 29: 703-711, 1992.
	*Lehrer, et al., "Reactivity of IgE Antibodies with Crustacea and Oyster Allergens: Evidence for Common Antigenic Structures", J Allergy Clin. Immunol. 80(2): 133-39, August, 1987,
	*Lemanske & Taylor, "Standardized Extracts, Foods," Clin. Rev. Allergy, 5: 23-26, 1987.
	*Leung, et al., "Identification and Molecular Characterization of Charybdis Feriatus Tropomyosin, The Major Crab Allergen", <i>J. Allergy Clin Immunol</i> . 847-852, November, 1998.
	*Leung, et al., "IgE Reactivity Against a Cross-Reactive Allergen in Crustacea and Mollusca: Evidence for Tropomyosin as the Common Allergen", <i>J. Allergy Clin Immunol.</i> 98(5) , 954-961, November, 1996.
	*Liebers, et al., "Epitope Mapping with Peptides of Chi t I Component III and Immunomodula of the Chi t Immune Response", J Allergy Clin Immunol. 92(2): 334-9, August, 1993.
	*Lind, et al., "The Binding of Mouse Hybridoma and Human IgE Antibodies to the Major Fecal Allergen, Der p I, of Dermatophagoides Pteronyssinus, Relative Binding Site Location and Species Specificity Studied by Solid-Phase Inhibition Assays with Radiolabeled Antigen", <i>J. Immunol.</i> , 140:4256-4262, 1988.
	*Ling, et al., "Construction and Characterization of Human IgE Fab Fragments Specific to Peanut Allergens", Abstract.

Pg J. 3/2

,	SP (
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
PuH	*Litwin, et al., "Regulation of the Human Immune Response to Ragweed Pollen by Immunotherapy. A Controlled Trial Comparing the Effect of Immunosuppressive Peptic Fragments of Short Ragweed with Standard Treatment", Clin Exp. Allergy. 21(4): 457-65, July, 1991.
()	*Litwin, et al., "Regulation of the Immune Response to Allergens by Immunosuppressive Allergenic Fragments, Peptic Framents of Honey Bee Venom Phospholipase", Int Arch Allergy
	*Lopata, et al., "Characteristics of Hypersensitivity Reactions and Identification of a Unique 49 kd IgE-Binding Protein (Hal-m-1) in Abalone (Haliotis Midae)" J. Allergy Clin. Immunol., 1997,
	*Lowenstein, H., "Timothy Pollen Allergens" Allergy: 35: 188-191, 1980.
	*Lu, et al., "Sequence Analysis and Antigenic Cross-Reactivity of a Venom Allergen, Antigen 5, From Hornets Wasps, and Yellow Jackets" <i>The Journal of Immunology</i> , 150 :2823-2830, 1993.
	*Maguire, et al., "The Safety and Efficacy of ALLERVAX CAT in Cat Allergic Patients" Clin
	*Maleki, et al., "T-Cell Responses in Food Allergy: Identification of 1-Cell Epitopes on a Major
	*Marcotte, et al., "Effects of Peptide Therapy on Ex Vivo T-Cell Responses", J Allergy Clin Immunol. 101(4 Pt 1): 506-13, April, 1998.
	*Marsh et al "Allergen Nomenclature", Bull WHO 64: 767-770, 1986.
	*Mathison, et al., "A Peptide from the Submandibular Glands Modulates Inflammatory Perposes" Int Arch Allergy Immunol. 113 (1-3): 337-8, May-July, 1997.
	*Matthiesen, et al., "Group V Allergens in Grass Pollens. I. Purification and Characterization of the Group V Allergen from Phleum Pratense Pollen, Phl p V" Clin. Exp. Allergy, 21:297-307.
	*Matsuoka, et al., "Altered TCR Ligands Affect Antigen-Presenting Cell Responses: Up-
	*McKeon, "IgG and IgE Antibodies Against Antigens of the Cat Flea, Ctenocephandes Felis Falis in Sera of Allergic and Non-Allergic Dogs," <i>Int. J. Parasitology</i> , 24(2) : 259-263, 1994.
	*Mecheri, et al., "Purification and Characterization of a Major Allergen from Dactylis Glomerata Pollen: The Ag Dg1", Int. Arch. Allergy Appl. Immunol., 78:283-289
	*Mena, et al., "A Major Barley Allergen Associated with Baker's Asthma Disease is a Glycosylated Monomeric Inhibitor of Insect α-Amylase: cDNA Cloning and Chromosomal Location of the Gene", <i>Plant Molec. Biol.</i> 20 :451-458, 1992.
	*Menedez-Arias, et al., "Primary Structure of the Major Allergen of Yellow Mustard (Sinapis alba L.) Seed, Sin a I" Eur. J. Biochem., 177:159-166, 1988.
	*Metcalfe, "Food Allergens," Clin Rev Allergy, 3:331-49, 1985.
	*Metzler, et al., "Determination of the Three-Dimensional Solution Structure of Ragweed Allergen Amb t V by Nuclear Magnetic Resonance Spectroscopy". <i>Biochemistry</i> , 31 : 5117-5127, 1992.
Ī	3121, 1332.

Myn. H

Examiner's	OTHER DOCUMENTS (CONT.)
nitials	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Zuk	*Metzler, et al., "Proton Resonance Assignments and Three-Dimensional Solution Structure of the Ragweed Allergen Amb a V by Nuclear Magnetic Resonance Spectroscopy" <i>Biochemistry</i> , 31: 8697-8705, 1992.
	*Miller, et al., "Allergy to Bovine Beta-Lactoglobulin: Specificity of Immunoglobulin E Gener in the Brown Norway Rat to Tryptic and Synthetic Peptides", Clin. Exp. Allergy, 29(12): 1696-704. December 1999.
	*Miyazawa, et al., "Identification of the First Major Allergen of a Squid (Todarodes Pacificus)". J. Allergy Clin. Immunol., 98:948-953, 1996.
	*Mohapatra, SS, "Modulation of Allergen-Specific Antibody Responses by T-Cell-Based Pentide Vaccine(s) Principles and Potential", Clin Rev Allergy. 12(1): 3-22, Spring, 1994.
	*Moneret-Vautrin, "Modifications of Allergenicity Linked to Food Technologies," Allerg Immunol, 30(1): 9-13, 1998.
	*Monsalve, et al., "Characterization of a New Oriental-Mustard (Brassica Juncea) Allergen, Brasilie: Detection of an Allergenic Epitope" <i>Biochem. J.</i> , 293 :625-632, 1993.
	*Morgenstern, et al., "Amino Acid Sequence of Fel d I, the Major Allergen of the Domestic Car Protein Sequence Analysis and cDNA Cloning" <i>Proc. Natl. Acad. Sci. USA</i> , 88 : 9690-9694,
	*Muckerheide, et al., "Immunosuppressive Properties of a Peptic Fragment of BSA", The Journal of Immunology, 119(4): 1340-45. October, 1977.
	*Muckerheide, et al., "Kinetics of Immunosuppression Induced by Peptic Fragments of Bovine Serum Albumin" Cellular Immunology, 50, 340-47, 1980.
	*Muller, et al., "Successful Immunotherapy with T-Cell Epitope Peptides of Bee Venom Phospholipase A2 Induces Specific T-Cell Anergy in Patients Allergic to Bee Venom" <i>J Allerg Clin Immunol.</i> 101(6 Pt 1): 747-54, June, 1998.
	*Nagahara, et al., "Transduction of Full-Length TAT Fusion Proteins into Mammalian Cells: TAT-p27 ^{Kip1} Induces Cell Migration", <i>Nature Medicine</i> , 4(12): 1449-1452, 1998.
	*Nair, Smita et al., Soluble Proteins Delivered to Dendritic Cells Via pH-sensitive Liposomes Induce Primary Cytotoxic T Lymphocyte Responses In Vitro", <i>J. Exp. Med.</i> , 175 February 199
	*Nelson, et al., "Treatment of Anaphylactic Sensivitity to Peanuts by Immunotherapy with Injections of Aqueous Peanut Extract," J. Allergy Clin. Immunol. 99: 744-751, 1997.
	*Nilsen, et al., "Structural Analysis of the Glycoprotein Allergen Art v from the Pollen of Magyort (Artemisia Vulgaris L.)" J. Biol. Chem. 266: 2660-2668.
	*Nicodemus, et al., "Integrated Clinical Experience with Tolerogenic Peptides", Int Arch Aller, Immunol 113:(1-3): 326-8, May-July, 1997.
	*Nishiyama, et al., "Determination of Three Disulfide Bonds in a Major House Dust Mite Allergen, Der f II", Int. Arch. Allergy Immunol., 101:159-166, 1993.
	*Norm "Prophylactic Inoculatio Against Hay Feyer." Lancet, 1: 1572-73, 1911.
$\overline{}$	*Nordlee, et al., "Allergenicity of Various Peanut Products as Determined by RAST Inhibition J. Allergy Clin. Immunol. 68: 376-82, 1981.
V	Dy N. Ster 7/20/03 COPY OF PAPERS ORIGINALLY FILED

18 of 26

SEP 1 3 2002

	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/2900
Examiner	OTHER DOCUMENTS
Initials	/Including Allthor, Title, Date, Fel tillent Lages, Lee.)
.1	*Norman, et al., "Clinical and Immunologic Effects of Component Peptides in Allervax Cat", Int
Put	Arch Allergy Immunol. 113(1-3): 224-6, May-July, 1997.
)	*Norman, et al., "Multicenter Study of Several Doses of ALLER-VAX® Cat Peptides in the
	Treatment of Cat Allergy," Journal of Allergy and Clinical Immunology, 99: S127, 1997.
	*Norman, et al., "Treatment of Cat Allergy with T-Cell Reactive Peptides" Am J Respir Crit
	Care Med. 154(6 Pt 1): 1623-8, December, 1996.
	*Obispo, et al., "The Main Allergen of Olea Europaea (Ole e I) is Also Present in other Species
	of the Oleaceae Family", Clin. Exp. Allergy, 23:311-316, 1993.
	*O'Brien, et al., "An Immunogenetic Analysis of T-Cell Reactive Regions on the Major
	Allergen from the House Dust Mite, Der p I, with Recombinant Truncated Fragments", J Allergy
	Clin Immunol. 93(3): 628-34, March, 1994.
·	*O'Farrell, "High Resolution Two-Dimensional Electrophoresis of Proteins," J. Biol. Chem.
	250: 4007-21, 1975.
	*O'Hehir, et al., "House Dust Mite Allergy: From T-Cell Epitopes to Immunotherapy", Eur J
	*O'Hehir, et al., An In Vitro Model of Peptide-Mediated Immunomodulation of the Human T c
	*O'Hehir, et al., An in Vitro Model of Peptide-Mediated Infindiomodulation of the Italian 1 Company Response to Dermatophagoides spp (House Dust Mite)" J Allergy Clin Immunol. 87(6): 1120-7,
	June, 1991. *Okano, et al., "Population Analysis of Cellular Respones to Synthetic Peptides of Der p II, a
	Major Allergen Molecule of Dermatophagoides Pteronyssinus, in Allergic and Nonallergic
i	Subjects", Allergy. 49(6): 436-41, July, 1994.
-	*Olsen, et al., "Identification and Characterization of the Poa p IX Group of Basic Allergens of
1	Kentucky Bluegrass Pollen", J. Immunol.147: 205-211.
	Remucky Bruegrass Forent, S. Immanovi 11. 200
	*O'Neil, et al., "Cloning and Characterization of a Major Allergen of the House Dust Mite, Dermatophagoides Pteronyssinus, Homologous with Glutathione S-Transferase", <i>Biochimica et</i>
	Dermatophagoides Pteronyssinus, Homologous with Glutaumone 5 Transferate 3, 270 mm.
	Biophysica Acta, 1219:521-528, 1994.
	*Oppenheimer, et al., "Treatment of Peanut Allergy with Rush Immunotherapy", J Allergy Clin
	Immunol. 90: 256-62, 1992. *Park, et al., "Pediatric IgE Anibody binding to the Most Common Seafood Proteins in Korea",
	*Park, et al., "Pediatric Ige Amount official Immunology 101(1): 377 1998
 	Journal of Allergy and Clinical Immunology, 101(1): 377, 1998. *Pecquet, et al., "Immunoglobulin E Suppression and Cytokine Modulation in Mice Orally
1	*Pecquet, et al., "Immunoglobulin E Supplession and Cytokine Woodlands Tolerized to β-Lactoglobulin", Immunology, 96, 278-85, 1999.
	*Pene, et al., "Immunotherapy with Fel D 1 Peptides Decreases IL-4 Release by Peripheral
	Blood T Cells of Patients Allergic to Cats", 102: (4 Pt 1): 571-8, October, 1998.
	*Perez, et al., "cDNA Cloning and Immunological Characterization of the Rye Grass Allergen
1	*Perez, et al., "cDNA Cloning and Infinunciogram Characterization of the Tigotham Lol p I" J. Biol. Chem. 265:16210-16215, 1990.
	*Pesce, et al., "Modulation of the Immune Response to Allergens: Phospholipase A Degradation
1 1	*Pesce, et al., "Modulation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 17 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response to Affergens. I hospitolipuse 18 Begratation of the immune Response 18 Begratation of the immune Response 18 Begratation of the Immune Response 18 Begratation
1 .//	
V	1990.

$\overline{}$	OTHER DOCUMENTS (CONT.)
Examiner's Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
Illitials	*Retersen, et al., "Characterization of the Allergen Group VI in Timothy Grass Pollen (Ph1 p6)
A	*Retersen, et al., "Characterization of the Affergen Group VI in Thioday Grass Group V", Arch. Allergy II. c DNA Cloning of Ph1 p 6 and Structural Comparison to Grass Group V", Arch. Allergy
7UT	In a DNA Cloning of the position and Structural Companies to the property of the position of t
12.	*Phadebas Rast Radioimmunoassay Reagents for 100 or 300 Tubes, Pharmacia Diagnostics AB,
	Linnala Swadan 1085 Revised January 1988
	*Pisetsky, "Immune Activation by Bacterial DNA: A New Genetic Code," Immunity, 5(4): 303-
	10 1006
	*Pollart et al "Identification, Quantitation, and Purification of Cockroach Allergens using
	Manaclanal Antibodies" I. Allergy Clin. Immunol., 87: 511-521, 1991.
	*Dosch et al. "Characterization and Identification of Latex Allergens by I Wo-Dimensional
	Flectrophoresis and Protein Microsequencing," J. Allergy Clin. Immunol, 99(3): 383-393, 1997.
 	*Pucheu-Haston, "Allergenic Cross-Reactivities in Flea-Reactive Canine Serum Samples,"
	4 TUD 57(7), 1000 1005 1006
	*Rabjohn, et al., "Glycinin, A Third Major Peanut Allergen Identified by Soy-Adsorbed Serum
	Int. from Decement Sensitive Individuals" Abstract.
	*Rabjohn, et al., "Molecular Cloning and Epitope Analysis of the Peanut Allergen Ara h 3", J.
	Clin. Invest. 103(4), 535-42, February, 1999.
	*Rabjohn, et al., "Mutational Analysis of the IgE-Binding Epitopes of the Peanut Allergen, Ara
	h 3: A Member of the Glycinin Family of Seed-Storage Proteins", Abstract.
	*Rafner, et al., "Cloning of Amb a I (Antigen E), the Major Allergens Family of Short Ragweed Pollen", J. Biol. Chem. 266: 1229-1236, 1991.
	*DAZ et al. "Introdermal Gene Immunization: The Possible role of DNA Uptake in the
	Induction of Cellular Immunity to Viruses." Proc Nat Acad Sci USA, 91:9519-9523, 1994.
	*Reese, et al., "Characterization of Recombinant Shrimp Allergen Pen a I (Tropomyosiii), Int
	*Remy, et al., "Topical Peptides: Percutaneous Absorption of a Vasopressin Derivate, Grass Pollen, and Other Allergens by Iontophoresis in Men", <i>J Invest Dermatol.</i> 91(6) : 606, December,
	1988.
	*Roberts, et al., "Nucleotide Sequence of cDNA Encoding the Group II Allergen of Cocksfoot/Orchard Grass (Dactylis Glomerata), Dac g II", Allergy, 48:615-623, 1993.
	*Roebber, et al., "Immunochemical and Genetic Studies of Amb t V (Ra5G), an Ra5 Homologue from Giant Ragweed Pollen", <i>J. Immunol.</i> 134: 3062-3069, 1985.
	*Roebber, et al., "Isolation and Characterization of Allergen Amb a VII from Short Ragweed Pollen". J. Allergy Clin. Immunol. 87: 324, 1991.
	*Rogers, et al., "Potential Therapeutic Recombinant Proteins Comprised of Peptides Containing Recombined T Cell Epitopes", Mol Immunol. 31(13): 955-66, September, 1994.
	*Rogers, et al., "Complete Sequence of the Allergen Amb a II: Recombinant Expression and Page 11: Recombinant Expression and Page 12: April 12: 2547-2552, 1991.
	*Rolfsen, "Detection of Specific IgE Antibodies Towards Cat Flea (Ctenocephalides Felis Felis) in Patients with Suspected Cat Allergy," Allergy, 42: 177-181 (1987).
	7/20/02

20 of 26

	S TECH OCCUP
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author Title Date Pertinent Pages Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
	*Rolland, et al., "Immunotherapy of Allergy: Anergy, Deletion, and Immune-Deviation",
PNK	Current Opinion in Immunology, 10: 640-45, 1998.
4	*Rooney, et al., "Antiparallel, Intramolecular Triplex DNA Stimulates Homologous
	Recombination in Human Cells," Proc. Natl. Acad. Sci. USA, 92: 2141-2144, 1995.
	*Sachs, et al., "Isolation and Partial Characterization of a Major Peanut Allergen," J. Allergy Clin. Immunol. 67: 27-34, 1981.
	*Sakaguchi, et al., "Identification of the Second Major Allergen of Japanese Cedar Pollen", <i>Allergy</i> , 45 :309-312, 1990.
	*Sampson & McCaskill, "Food Hypersensitivity in Atopic Determatitis: Evaluation of 113 Patients," <i>J. Pediatr.</i> 107 : 669-75, 1995.
	*Sampson, "Peanut Anaphylaxis," J Allergy Clin Immunol., 86: 1-3, 1990.
	*Sampson, "Role of Immediate Food Hypersensitivity in the Pathogenesis of Atopic Dematitis," J. Allergy Clin. Immunol. 71: 473-80, 1993.
	*Sampson, et al., "Fatal and Near-Fatal Anaphylactic Reactions to Food in Children and Adolescents", <i>The New England Journal of Medicine</i> ", 327 (6): 380-84, August, 1992.
	*Sampson, et al., "Food Allergy and the Role of Immunotherapy," J Allergy Clin. Immun, 90:151-52, 1992.
	*Sampson, et al., "Mechanisms of Food Allergy," Annu. Rev. Nutr, 16: 161-77, 1996.
	*Reisman, "Fifteen yeas of hymenoptera Venom Immunotherapy," J. Allergy Clin Immunol., 90: 256-62 (1992).
	*Scheiner, "Recombinant Allergens: Biological, Immunological and Practical Aspects," Int. Arch. Allergy Immunol., 98: 93-96 (1992).
	*Schemmer, "Efficacy of Alum-Precipitated Flea Antigen for Hyposensitization of Flea-Allergic Dogs," Seminars in Veterinary Medicine and Surgery (Small Animal), 2(3): 195-198, 1987.
	*Schmidt, et al., "cDNA Analysis of the Mite Allergen Lep d 1 Identifies Two Different Isoallergens and Variants", FEBS Letter, 370:11-14, 1995.
	*Schmidt, et al., "The Complete cDNA Sequence and Expression of the First Major Allergenic Protein of Malassezia Furfur, Mal f 1", Eur J. Biochem., 246:181-185, 1997.
	*Schmidt, et al., "Nucleotide Sequence of cDNA Encoding the Fire Ant Venom Protein Sol i II", FEBS Letter, 319:138-140, 1993.
	*Schwarze, et al. "In Vivo Protein Transduction: Delivery of a Biologically Active Protein into the Mouse", Science, 285: 1569-1572
	*Secrist, et al., "Allergen Immunotherapy Decreases Interleuken 4 Production in CD4 + T Cells From Allergic Individuals," <i>J. Exp. Med.</i> 178 2123-2130 (1993).
	*Sehra, et al., "Role of Liposomes in Selective Proliferation of Splenic Lymphocytes" <i>Molecular and Cellular Biochemistry</i> , 183 : 133-139, 1998.
	*Sen, et al., "Allergen Structure May Dictate Why Some IgF. Binding Epitopes Become Immunodominant Within a Food Allergic Population", Abstract.
\overline{V}	*Sevier, et al., "Monoclonal Antibodies in Clinical Immunology," Clin. Chem. 27(11): 1797-1806, 1981.

phy N. Ja

7/20/07

	OTHER DOCUMENTS (CONT.)
Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
- DUH	*Shanti, et al., "Identification of Tropomyosin as the Major Shrimp Allergen and Characterization of its IgE-Binding Epitopes: ," J. Immunol, 151: 5354-5363, 1993.
	*Sharif, et al., "Biodegradable microparticles as a delivery system for the allergens of Dermatophagoides pteronyssinus (house dust mite): I. Preparation and characterization of microparticles". International Journal of Pharmaceutics, 119 1995) 239-246.
	*Shen, et al., "Molecular Cloning of a House Dust Mite Allergen with Common Antibody Binding Specificities with Multiple Components in Mite Extracts", Clin. Exp. Allergy, 23: 934-940, 1993.
	*Shen, et al., "Studies on Allergens of Aspergillus Flavus", J. Allergy Clin. Immunol., 103:S157, 1999.
	*Shen, et al., "Allergenic Components in Three Different Species of Penicillium: Crossreactivity Among Major Allergens" <i>Clin. Exp. Allergy</i> , 26 :444-451, 1996.
	*Shen, et al., "Molecular Cloning of cDNA Coding for the 68 kDa Allergen of Penicillium Notatum Using MoAbs", Clin Exp. Allergy, 25:350-356, 1995.
	*Shen, et al., "The 40-Kilodalton Allergen of Candida Albicans is an Alcohol Dehydrogenase: Molecular Cloning and Immunological Analysis Using Monoclonal Antibodies", Clin Exp. 4llergy, 21:675-681, 1991.
	*Shin, et al., "Biochemical and Structural Analysis of the IgE Binding Sites on Ara h1, An Abundant and Highly Allergenic Peanut Protein", J. Biol. Chem. 273(22): 13753-9, May, 1998.
	*Shin, et al., Characterization of a Major Peanut Allergen: Mutational Analysis of the Ara h I IgE Binding Epitopes and Strategies for the Creation of a Hypoallergenic Peanut Clone", Abstract.
	*Shin, Modulation of the Reactivity of the Major Peanut Allergen Ara h 1 Through Epitope Characterization, Structural Analysis, and Mutation", Abstract.
	*Shin, et al., "Tertiary Structure of the Major Peanut Allergen Ara h 1: Implications for the Bioengineering of a Hypoallergenic Protein", Abstract.
	*Sidoli, et al., "Cloning, Expression, and Immunological Characterization of Recombinant Lolium-Perenne Allergen Lol p II", J. Biol Chem., 268:21819-21825, 1993.
	*Simons, et al., "Fel D 1 Peptides: Effect on Skin Tests and Cytokine Synthesis in Cat-Allergic Human Subjects". Int Immunol. 8(12): 1937-45, December, 1996.
	*Singh, et al., "Isolation of cDNA Encoding a Newly Identified -Major Allergenic P, rotein of Rye-Grass Pollen: Intracellular Targeting to the Amyloplast", <i>Proc. Natl. Acad. Sci.</i> , 88 :1384-1388, 1991.
	*Smith, et al., "Cloning and Expression in Yeast Pichia Pastoris of a Biologically Active Form of Cyn d 1, the Major Allergen of Bermuda Grass Pollen", J. Allergy Clin. Immunol. 98:331-343, 1996.
	*Smith, et al., "Comparative Analysis of the Genes Encoding Group 3 Allergens from Dermatophagoides Pteronyssinus and Dermatophagoides Farinae", <i>Int Arch Allergy Immunol.</i> , 109 :133-140, 1996.
<u> </u>	

7-4 N. X

7/22/07

Examiner's	OTHER DOCUMENTS (CONT.)
Initials	
Illitials	(Including Author, Title, Date, Pertinent Pages, Etc.)
Part	*Soldatova, et al., "Sequence Similarity of a Hornet (D. Maculata) Venom Allergen Phospholipase A ₁ with Mammalian Lipases", FEBS Letters, 320:145-149, 1993.
	*Sone, et al., "T Cell Epitopes in a Japanese Cedar (Cryptomeria Japonica) Pollen Allergens: Choice of Major T Cell Epitopes in Cry j 1 and Cry j 2 Toward Design of the Peptide-Immunotherapeutics for the Management of Japanese Cedar Pollinosis", <i>J. Immunol.</i> 161(1) : 448-57, July 1, 1998.
	*Sparholt, et al., The Allergen Specific B-Cell Response During Immunotherapy." Clinical and Experimental Allergy, 22: 648-653 (1992).
	*Stadler, et al., "Mimotope and Anti-Idiotypic Vaccines to Induce an Anti-IgE Response", Int Arch Allergy Immunol. 118(2-4): 119-21, February-April, 1999.
	*Stanley, et al., "Biochemistry of Food Allergens", Clin Rev. Allergy Immunol. 17(3): 279-91, 1999.
	*Stanley, et al., "Identification and Mutational Analysis of the Immunodominant IgE Binding Epitopes of the Major Peanut Allergen Ara h 2", <i>Arch Biochem Biophys.</i> 342(2) : 244-53, June, 1997.
	*Stanley, et al., "Peanut Hypersensitivity. IgE Binding Characterictics of a Recombinant Ara h I Protein", Adv. Exp Med. Biol. 409: 213-6, 1996.
	*Stanley, et al., "Mapping of the B-Cell Epitopes on Ara h 1 and Ara h II, Legume Storage Proteins and Major Allergens Involved in Peanut Hypersensitivity", Abstract.
	*Stanley, et al., "Ara N, A Major Allergen Involved in Peanut Hypersensitivity, Has Multiple IgE Binding Domains" Abstract.
	*Stanley, et al., "Isolation and Quantitation of mRNA Differentially Expressed in Stimulated T Lymphocytes from Peanut Hypersensitive Individuals", Abstract.
	*Stanworth, et al., "Allergy Treatment with a Peptide Vaccine", Lancet. 336(8726): 1279-81, November 24, 1990.
	*Stanworth, et al., "Nomenclature for Synthetic Peptides Respresentative of Immunoglobulin Chain Sequences", <i>Bulletin WHO</i> , 68 : 109-111, 1990.
	*Steinberger, et al., "Construction of a Combinatorial IgE Library from an Allergic Patient. Isolation and Characterization of Human IgE Fabs with Specificity for the Major Timothy Grass Pollen Allergen, Ph1 p 5", J. Biol. Chem. 271: 10967-10982, 1996.
	*Sunderasan, et al., "Latex B-Serum β-1,3-Glucanase (Hev b II) and a Component of the Microhelix (Hev b IV) are Major Latex Allergens" J. Nat Rubb Res., 10:82-99, 1995.
	*Suphioglu, et al., "Peptide Mapping Analysis of Group I Allergens of Grass Pollens", Int Arch Allergy Immunol. 102(2): 144-51, 1993.
	*Suphioglu, et al., "Molecular Cloning and Immunological Characterisation of Cyn D 7, A Novel Calcium-Binding Allergen from Bermuda Grass Pollen", FEBS Letter. 402:167-172, 1997.
	*Suphioglu, et al., "Cloning, Sequencing and Expression in Escherichia Coli of Pha a 1 and Four Isoforms of Pha a 5, The Major Allergens of Canary Grass Pollen", <i>Clin. Exp. Allergy</i> , 25 :853-865, 1995.

py N. Zh

1/23/03

COPY OF PAPERS ORIGINALLY FILED

23 of 26

RECEIVED

SEP 1 3 2002

Examiner's	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/2900
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
PAH	*Sutton, et al., "Detection of IgE and IgG Binding Proteins After Electrophoresis Transfer From Polyacrylamide Gels", Journal of Immunological Methods, 52:183-86, 1982.
	*Svirshchevskaya, et al., "Intravenous Injection of Major and Cryptic Peptide Epitopes of Ribotoxin, Asp F1 Inhibits T Cell Response Induced by Crude Aspergillus Fumigatus Antigens in Mice", 21(1): 1-8, January 1, 2000.
	*Sward-Nordmo, et al., "The Glycoprotein Allergen Ag-54 (Cla h II) From Cladosporium Herbarum", Structural Studies of the Carbohydrate Moiety", <i>Int. Arch. Allergy Appl. Immunol.</i> , 85 :288-294, 1988.
	*Szostak, "In Vitro Genetics", TIBS, 19:89, 1992.
	*Takai, et al., "Engineering of the Major House Dust Mite Allergen Der f 2 for Allergen-specific Immunotherapy," <i>Nature Biotechnology</i> , 15 :754-58 (1997).
·	*Takashi, et al., "Engineering of Hypoallergenic Mutants of the Brassica Pollen Allergen, Bra r 1, for Immunotherapy," FEBS Letters, 434: 255-260 (1998).
	*Taniai, et al., "N-Terminal Amino Acid Sequence of a Major Allergen of Japanese Cedar Pollen (Cry j I) FEBS Letter, 239:329-332, 1988.
	*Taylor, et al., "Peanut Oil is Not Allergenic to Peanut Sensitive Individuals", J. Allergy Clin. Immunol., 68: 372-375 (1981).
	*Taylor, et al., "Evidence for the Ecistence of Multiple Allergens in Peanuts," J. Allergy Clin. Immunol. 69:128, 1982.
	*Teshima, et al., "Isolation and Characterization of a Major Allergenic Component (gp55) of Aspergillus Fumigatus", J. Allergy Clin. Immunol. 92:698-706, 1993.
	*Texier, et al., "HLA-DR Restricted Peptide Candidates for Bee Venom Immunotherapy", J. Immunol, 164(6): 3177-84, March 15, 2000.
	*Thomas, et al., "Purification of Membrane Proteins," Meth. Enzymol., 182:499-520, 1990.
	*Tovey, et al., "Cloning and Sequencing of a cDNA Expressing a Recombinant House Dust Mite Protein that Binds Human IgE and Corresponds to an Important Low Molecular Weight Allergen", J. Exp. Med. 170:1457-1462, 1989.
	*Towbin, et al., "Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications," Proc. Natl. Acad. Sci. USA, 176: 4350-54, 1979.
	*Trudinger, et al., "cDNA Encoding the Major Mite Allergen Der f II" Clin. Exp. Allergy, 21:33-38, 1991.
	*Twardosz, "Molecular Characterization, Expression i Escherichia Coli, and Epitope Analysis of a Two EF-Hand Calcium-Binding Birch Pollen Allergen, Bet v 4," <i>Biochem. Biophys. Res. Commun</i> , 239:197-204, 1997.
	*Valenta, et al., "cDNA Cloning and Expression of Timothy Grass (Phleum Pratense) Pollen Profilin in Escherichia Coli: Comparison with Birch Pollen Profilin", Biochem. Biophys. Res. Commun. 199: 106-118.
	*Van Der Stoep, et al., "In vivo and in Vitro lgE Isotype Switching in Human B Lymphocytes: Evidence for a Predominantly direct lgM to lgE class Switch Program", European J. Immunol, 24 1307-1311, 1994

ply N. Hz

7/25/03

Examiner's	OTHER DOCUMENTS (CONT.) (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	
Put	*Van Hage-Hamsten, "Skin Test Evaluation of Genetically Engineered Hypoallergenic Derivatives of the Major Birch Pollen Allergen, Bet v 1: Results Obtained with A Mix of Two Recombinant Bet v 1 Fragments and Recombinant Bet v 1 Trimer in a Swedish Population Before the Birch Pollen Season", J Allergy Clin Immunol. 104(5): 969-77, November, 1999.
	*Van Hage-Hamsten, et al., "N-Terminal Aminoacid Sequence of Major Allergen of the Mite Lepidoglyphus Destructor," J. Allergy Clin. Immunol. 91:353, 1993.
	*Van Hoeyveld, et al., "Allergenic and Antigenic Activity of Peptide Fragments in a Whey Hydrolysate Formula", 28(9): 1131-7, September, 1998.
	*Van Kampen, et al., "Analysis of B-cell Epitopes in the N-Terminal Region of Chi t l component III using Monoclonal Antibodies," <i>Molecular Immunol.</i> 31: 1133-1140 (1994).
	*Van Millgen, et al., "Differences Between Specificities of IgE and IgG4 Antibodies: Studies Using Recombinant Chain 1 and Chain 2 of the Major Cat Allergen Felis Domesticus (d) I. Clin Exp. Allergy 25(3): 247-51. March, 1995.
	*Van Milligen, et al., "IgE and IgG4 Binding to Synthetic Peptides of the Cat (Felis Domesticus) Mai Allergen Fel dl" Int Arch Allergy Immunol. 103(3): 274-9, 1994.
	*Van Milligen, et al., "IgE Epitopes on the Cat (Felis Domesticus) Major Allergen Fel D I: A Study Wit Overlapping Synthetic Peptides", <i>J Allergy Clin Immunol</i> . 93(1 Pt 1): 34-43, January, 1994
	*Van Ree, et al., "Rabbit IgG Directed to a Synthetic C-Terminal Peptide of the Major Grass Pollen Allergen Lol p I Inhibits Human Basophil Histamine Release Induced by Natural p I". Int Arch Allergy Immunol. 106(3): 250-7, March, 1995.
	*Van Ree R, et al., "Lol p XI, a New Major Grass Pollen Allergen, is a Member of a Family of Soybean Trypsin Inhibitor-Related Protein", J. Allergy Clin Immunol. 95:970-978, 1995.
	*Van't Hof, et al., "Epitope Mapping of the Cat (Felis Domesticus) Major Allergen Fel D I by Overlapping Synthetic Peptides and Monoclonal Antibodies Against Native and Denatured Fel D I" Allergy, 48(4) 255-63, May, 1993.
	*Van't Hof, et al., Epitope Mapping of the Dermatophagoides Pteronyssinus House Dust Mite Major Allergen Der p II Using Overlapping Synthetic Peptides", 28(11): 1225-32, November, 1991.
	*Varela, et al., "Primary Structure of Lep d I, the Main Lepidoglyphus Destructor Allergen", Eur J. Biochem., 225:93-98, 1994.
	*Villalba, et al., "The Amino Acid Sequence of Ole e I, the Major Allergen From Olive Tree (Olea Europaea) Pollen", Europ. J. Biochem., 216:863-869, 1993.
	*Vives, et al., "A Truncated HIV-1 Tat Protein Basic Domain Rapaidly Translocates Through the Plasma Membrane and Accumulates in the Cell Nucleus", <i>The Journal of Biological Chemistry</i> ", 272 (25): 16010-16017, 1997.
	*Voller, et al., "Enzyme-Linked Immunosorbent Assay," Manual of Clinical Laboratory Immunology, Rose, ed., Chapter 17, Third Edition, 99-109, 1986.
V	*Vrtala, "High Level Expression in Escherichia Coli and Purification of Recombinant Plant Profilins: Comparison of IgE Binding Capacity and Allergenic Activity," <i>Biochem. Biophys. Res. Comm</i> , 226: 42-50, 1996.
L	

John N. Har

2/20/cz/C

COPY OF PAPERS ORIGINALLY FILED

25 of 26

SEP 1 3 2002

Examiner's	OTHER DOCUMENTS (CONT.) TECH CENTER 1600/29 (Including Author, Title, Date, Pertinent Pages, Etc.)
Initials	(Including Author, Title, Date, Pertinent Pages, Etc.)
C-PNH	*Vrtala, et al., "Conversion of the Major Birch Pollen Allergen, Bet v 1, Into Two Nonanaphylactic T Cell Epitope-Containing Fragments: Candidates for a Novel Form of Specific Immunotherapy", J. Clin. Invest. 99(7): 1673-81, April, 1997.
	*Vrtala, et al., "Division of the Major Birch Pollen Allergen, Bet v 1, Into Two Non-Anaphylactic Fragments", Int Arch Allergy Immunol., 113: 246-48, 1997.
	*Wallner, et al., "Immunotherapy with T-Cell Reactive Peptides Derived from Allergens" Allergy 49(5): 302-8, May, 1994.
	*Watanabe, et al., "Primary Structure of an Allergenic Peptide Occurring in the Chymotryptic Hydrolysate of Gluten", <i>Biosci Biotechnol Biochem.</i> 59(8) : 1596-7, August, 1995.
	*Weber, et al., "Characteristics of the Aspargine-Linked Oligosaccharide from Honey-Bee Venom Phospholipase A2". Comp. Biochem. Physiol. 83B: 321-324, 1986.
	*Weber, et al., "Specific Interaction of IgE Antibodies with a Carbohydrate Epitope of Honey Bee Venom Phospholipase A2", <i>Allergy</i> , 42 : 464-470, 1987.
	*Wiedermann, et al., "Suppression of Antigen-Specific T- and B-Cell Responses by Intranasal or Oral Administration of Recombinant Bet v 1, The Major Birch Pollen Allergen, in a Murine Model of Type I Allergy", J. Allergy Clin Immunol., 103(6): 1202-10, June, 1999.
	*Williams, et al., "Indentification of Epitopes Within Beta Lactoglobulin Recognised by Polyclonal Antibodies Using Phage Display and PEPSCAN", <i>J Immunol Methods</i> . 213(1) : 1-17, April, 1998.
	*Woodfolk, et al., "Trichophyton Antigens Associated with IgE Antibodies and Delayed Type Hypersensitivity", <i>J. Biol. Chem.</i> 273 :29489-29496, 1998.
	*Wu, et al., "Isolation and Preliminary Characterization of cDNA Encoding American Cockroach Allergens", J. Allergy Clin. Immunol., 96:352-359, 1995.
	*Yamamoto, et al., "DNA From Bacteria, But Not From Vertebrates, Induces Interferons, Activates Natural Killer Cells and Inhibits Tumor Growth," <i>Microbiol. Immunol.</i> 36(9) : 983-97, 1992.
	*Yang, et al., "Immunologic Characterization of a Recombinant Kentucky Bluegrass (Poapratensis) Allergenic Peptide", <i>J Allergy Clin Immunol.</i> 87(6): 1096-104, June, 1991.
	*Yeang, et al., "The 14.6 kd Rubber Elongation Factor (Hev b 1) and 24 kd (Hev b 3) Rubber Particle Proteins are Recognized by IgE from Patients with Spina Bifida and Latex Allergy" J. Allergy Clin Immunol, 98(3): 628-639, 1996.
	*Yssel, et al., "Peptide Induced Anergy of Human Allergen-Specific T Cells" Adv Exp. Med Biol. 409: 405-10, 1996.
,	*Yunginger, et al., "Fatal Food-Induced Anaphylaxis," JAMA, 260: 1450-2, 1988.
\bigvee	*Zimmerman, et al., "CpG Oligodexoynucleotides Trigger Protective and Curative Th1 Responses in Lethal Murine Leishmaniasis," <i>J. Immunol.</i> 160(8) : 3627-30, 1998.
EXAMINER	DATE CONSIDERED
	: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw

line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.